

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

PROPOSED REPLACEMENT TO REGULATIONS S(C) EXERCISES AND SIGNS

Each exercise is referenced by its unique lifetime exercise number.

FOUNDATION LEVEL – 14 Exercises, 2 Bonus exercises

Ex.No.	Exercise	Sign	Description	2019.No
F-01	SIT	 <small>THE RENEWAL CLUB</small>	As the handler and dog stop, the handler cues the dog to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	1
F-02	STAND	 <small>THE RENEWAL CLUB</small>	As the handler and dog stop, the handler cues the dog to remain standing at heel. When the dog is established in a stand, the handler cues the dog to heel forward. This exercise ends in a static position.	42
F-03	DOWN	 <small>THE RENEWAL CLUB</small>	As the handler and dog stop, the handler cues the dog to drop directly into a down at heel. When the dog is down, the handler cues the dog directly to heel forward. This exercise ends in a static position.	41
F-04	RIGHT TURN	 <small>THE RENEWAL CLUB</small>	This is an accurate 90-degree right turn.	5


Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
F-05	LEFT TURN		This is an accurate 90-degree left turn.	6
F-06	ABOUT RIGHT TURN		This is an accurate 180-degree turn to the handler's right.	7
F-07	270 DEGREE RIGHT		While heeling, the handler and dog make a 270-degree turn that begins to the handler's right. The final direction taken towards the next exercise is to the left of the handler and dog's original position.	9
F-08	CALL FRONT FORWARD RIGHT		<p>While heeling the handler stops their forward motion as they call the dog to sit in the front position. The handler may take up to 3 steps backwards, in a straight line, as the dog turns and moves to sit straight in front of and facing the handler. The dog may go past the sign to accomplish this.</p> <p>Once the dog is sitting in front, the handler cues the dog to move from the front position to the handler's right, around behind the handler and into heel. The dog must be allowed to regain the heel position before the handler and dog heel forward.</p>	11


Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
F-09	CALL FRONT FORWARD LEFT		<p>The Call Front part of this exercise is performed as in Exercise F-08.</p> <p>Once the dog is sitting in front, the handler cues the dog to move from the front position to the handler's left and into the heel position. The dog must be allowed to regain the heel position before the handler and dog heel forward.</p>	12
F-10	CALL FRONT HANDLER FINISH		<p>The Call Front part of this exercise is performed as in Exercise F-08.</p> <p>Once the dog is sitting in front, the dog is cued to remain in the sit whilst the handler moves left to take up the heel position. When the handler has moved to the heel position, they cue the dog to heel forward. This is not a walk around exercise. This exercise ends in a static position.</p>	--
F-11	TWIST R/L AT HEEL		<p>While heeling the handler pauses and cues the dog to perform a 360 degree turn to the right or left by the handler's side. The dog must be allowed to regain the heel position before the handler and dog heel forward.</p>	--
F-12	LOOP DISTRACTION RIGHT		<p>This exercise requires one distraction which is placed to the right of the handler and dog's path. The exercise sign is normally placed directly in front of the distraction. The handler and dog approach the sign on a straight line with the distraction on their right, they maintain heelwork as they perform a complete circuit of the distraction before heeling forward. This is not a turn exercise.</p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
F-13	LOOP DISTRACTION LEFT		This exercise requires one distraction which is placed to the left of the handler and dog's path. The exercise sign is normally placed directly in front of the distraction. The handler and dog approach the sign on a straight line with the distraction on their left, they maintain heelwork as they perform a complete circuit of the distraction before heeling forward. This is not a turn exercise.	--
F-B1	CALL FRONT STAND		The Call Front part of this exercise is performed as in Exercise F-08. Once the dog is sitting in front, the handler cues the dog to stand, when the dog has established the stand the exercise is then complete. <i>(At Foundation level and Level 1 only, the handler may take one additional step backwards, after the sit in front, to achieve the stand).</i>	--
F-B2	SIT 3 STEPS SIT		As the handler and dog stop, the handler cues the dog to sit at heel. The handler cues the dog to heel, takes three steps forward and cues the dog to sit at heel. Once the dog is sitting at heel the exercise is then complete.	BE3

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

LEVEL ONE – 20 Exercises, 2 Bonus exercises

Ex.No.	Exercise	Sign	Description	2019.No
L1-01	SIT STAND		As the handler and dog stop, the handler cues the dog to sit at heel. The handler then cues the dog to stand. When the dog is established in a stand, the handler cues the dog to heel forward. This exercise ends in a static position.	2
L1-02	SIT DOWN		As the handler and dog stop, the handler cues the dog to sit at heel. The handler then cues the dog to down. When the dog is down, the handler cues the dog directly to heel forward. This exercise ends in a static position.	3
L1-03	ABOUT LEFT TURN		This is an accurate 180-degree turn to the handler's left.	8
L1-04	270 DEGREE LEFT		While heeling, the handler and dog make a 270-degree turn that begins to the handler's left. The final direction taken towards the next exercise is to the right of the handler and dog's original position.	25
L1-05	360 DEGREE RIGHT		While heeling, the handler and dog make a 360-degree turn that begins to the handler's right, returning them to their original path.	10

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L1-06	CALL FRONT FINISH RIGHT		The Call Front portion of this exercise is performed as in Exercise F-08. Once the dog is sitting in front, the handler cues the dog to finish to the handler's right, around behind the handler, to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	13
L1-07	CALL FRONT FINISH LEFT		The Call Front portion of this exercise is performed as in Exercise F-08. Once the dog is sitting in front, the handler cues the dog to finish to the handler's left to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	14
L1-08	SIT SEND AROUND FORWARD		As the handler and dog stop, the handler cues the dog to sit at heel. The handler then sends the dog clockwise around behind them, the dog must be allowed to regain the heel position before the handler and dog heel forward.	32
L1-09	STAND SEND AROUND FORWARD		As the handler and dog stop, the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the handler then sends the dog clockwise around behind them, the dog must be allowed to regain the heel position before the handler and dog heel forward.	50


Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L1-10	SLOW PACE		This exercise requires 2-3 metres. As the handler and dog draw level with the sign they decrease their pace so that there is a noticeable difference from the dog's normal pace. In Levels 1-4 this exercise must be followed by Exercise L1-12 (Normal Pace), or the Finish. From Level 5 it is also permissible for this exercise to be followed by Exercise L1-11 (Fast Pace) or Exercise L3-07 (Sit Fast Forward).	15
L1-11	FAST PACE		This exercise requires approximately 4m. As the handler and dog draw level with the sign they increase their pace so that there is a noticeable difference from the dog's normal pace. In Levels 1-4 this exercise must be followed by Exercise L1-12 (Normal Pace), or the Finish. From Level 5 it is permissible for this exercise to be followed by Exercise L1-10 (Slow Pace) or Exercise L3-06 (Sit Slow Forward).	16
L1-12	NORMAL PACE		As the handler and dog draw level with the sign they resume their normal heelwork pace.	17
L1-13	SIT RIGHT TURN FORWARD		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they perform an accurate 90 degree turn to their right and heel forward.	19


Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L1-14	SIT LEFT TURN FORWARD		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they perform an accurate 90 degree turn to their left and heel forward.	20
L1-15	STAND RIGHT TURN FORWARD		As the handler and dog stop, the handler cues the dog to remain standing at heel. Once the dog is established in a stand the dog moves with the handler as they perform an accurate 90 degree turn to their right and heel forward.	--
L1-16	STAND LEFT TURN FORWARD		As the handler and dog stop, the handler cues the dog to remain standing at heel. Once the dog is established in a stand the dog moves with the handler as they perform an accurate 90 degree turn to their left and heel forward.	--
L1-17	SIDE STEP 1-2 STEPS RIGHT		The handler and dog approach with the sign directly in their path. While heeling the handler stops their forward motion as they smoothly take one or two side step(s) directly to their right. The dog moves sideways with the handler maintaining their heelwork position. The handler and dog then heel forward, with the sign on their left.	--
L1-18	SERPENTINE		This exercise requires four cones evenly placed 1.5m apart in a straight line. The exercise sign is normally placed directly in front of the first cone. The handler and dog enter with the first cone on their left, weave through the cones and exit after the last cone, on their right.	22

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L1-19	FIGURE 8		<p>This exercise requires four cones evenly placed 1.5m apart in a straight line. The exercise sign is normally placed directly in front of the first cone. The handler and dog enter with the first cone on their left, weave through the cones and loop the end cone then weave back to the beginning of the pattern. The exit direction from the pattern is dependent on the placement of the next exercise.</p>	21
L1-20	WEAVE THROUGH DISTRACTIONS		<p>This exercise requires two distractions placed 1.5m apart. The exercise sign is normally placed directly in front of the first distraction. The handler and dog approach the sign on a straight line from the previous exercise with the first distraction on their left, and weave between the distractions to exit with the second distraction on their right. This is not a turn exercise.</p>	35
L1-B1	CALL FRONT SIDE STEP R/L		<p>The Call Front part of this exercise is performed as in Exercise F-08.</p> <p>Once the dog is sitting in front, the handler takes one full step to either the right or left. The dog must move sideways with the handler and after moving, must sit in the front position. The exercise is then complete.</p>	BE1

Proposed replacement to S(C)


Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L1-B2	CALL FRONT TURN R/L		<p>The Call Front part of this exercise is performed as in Exercise F-08.</p> <p>Once the dog is sitting in front, the handler executes a 90 degree turn to the left or the right. The dog must move with the handler and after moving, must sit in the front position when the handler has completed their turn. The exercise is then complete. The handler may take up to three steps backwards to achieve this part of the exercise.</p>	BE2

Proposed replacement to S(C)


Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

LEVEL TWO – 18 Exercises, 2 Bonus exercises

Ex.No.	Exercise	Sign	Description	2019.No
L2-01	STAND SIT		As the handler and dog stop, the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the handler cues the dog to sit. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	--
L2-02	STAND DOWN		As the handler and dog stop, the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the handler cues the dog to drop directly into a down at heel. When the dog is down, the handler cues the dog directly to heel forward. This exercise ends in a static position.	--
L2-03	360 DEGREE LEFT		While heeling, the handler and dog make a 360-degree turn that begins to the handler's left, returning them to their original path.	26
L2-04	LEFT ABOUT TURN		While heeling the handler cues the dog to go clockwise around them as they perform an accurate about turn to their left. The dog should resume heelwork as the handler moves forward. During this exercise the handler should not pause or change pace.	40




Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L2-05	SIT DOWN SIT		As the handler and dog stop, the handler cues the dog to sit at heel. The handler then cues the dog to down. The handler then cues the dog to sit. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	4
L2-06	SIT WALK AROUND		As the handler and dog stop, the handler cues the dog to sit at heel and wait before walking forward, around the dog to their left, and back to the heel position. The handler then cues the dog to heel forward. This exercise ends in a static position.	23
L2-07	SIT DOWN WALK AROUND		As the handler and dog stop, the handler cues the dog to sit at heel. The handler then cues the dog to down and wait before walking forward, around the dog to their left, and back to the heel position. The handler then cues the dog directly to heel forward. This exercise ends in a static position.	24
L2-08	SIT SEND AROUND SIT		As the handler and dog stop, the handler cues the dog to sit at heel. The handler then sends the dog clockwise around behind them to sit at heel. This exercise ends in a static position.	31
L2-09	STAND SEND AROUND STAND		As the handler and dog stop, the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the handler then sends the dog clockwise around behind them to stand at heel. This exercise ends in a static position.	--


Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L2-10	STAND HEEL BACK 1-2 STEPS		As the handler and dog stop, the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the handler and dog move backwards one to two steps in a straight line maintaining heel position, then heel forward.	--
L2-11	SIT 90 DEGREE PIVOT RIGHT SIT		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they pivot 90 degrees on the spot to their right. The handler stops and cues the dog to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	27
L2-12	SIT 90 DEGREE PIVOT LEFT SIT		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they pivot 90 degrees on the spot to their left. The handler stops and cues the dog to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	28
L2-13	STAND 90 PIVOT RIGHT STAND		As the handler and dog stop, the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the dog moves with the handler as they pivot 90 degrees on the spot to their right. The handler stops and cues the dog to remain standing at heel. When the dog is established in a stand, the handler cues the dog to heel forward. This exercise ends in a static position.	--


Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L2-14	STAND 90 PIVOT LEFT STAND		As the handler and dog stop, the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the dog moves with the handler as they pivot 90 degrees on the spot to their left. The handler stops and cues the dog to remain standing at heel. When the dog is established in a stand, the handler cues the dog to heel forward. This exercise ends in a static position.	--
L2-15	CALL FRONT ABOUT TURN RIGHT FORWARD		The Call Front portion of this exercise is performed as in Exercise F-08. Once the dog is sitting in front, the handler cues the dog to heel as they about turn to the right, and resume heelwork towards the next exercise.	62
L2-16	SPIRAL RIGHT		This exercise requires three cones evenly placed 1.5m apart in a straight line placed in a straight line. The exercise sign is normally placed directly in front of the first cone. The handler and dog pass with the first cone on their right and proceed to and around the third one, then loop the first cone, proceed to and around the second, then loop the first cone one last time before making an exit to the right.	33


Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L2-17	SPIRAL LEFT		<p>This exercise requires three cones evenly placed 1.5m apart in a straight line. The exercise sign is normally placed directly in front of the first cone. The handler and dog pass with the first cone on their left and proceed to and around the third one, then loop the first cone, proceed to and around the second, then loop the first cone one last time before making an exit to the left.</p>	34
L2-18	LOOP AROUND DISTRACTIONS		<p>This exercise requires two distractions placed 1.5m apart. The exercise sign is normally placed directly in front of the first distraction. The handler and dog approach the sign on a straight line from the previous exercise with the first distraction on their left, weave between the distractions to loop back to exit with the first distraction on their left. This is an about turn exercise.</p>	45
L2-B1	SIT LEAVE DOG - CALL TO HEEL		<p>This exercise requires two signs. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel. The handler then cues the dog to wait and walks to the second sign (B), stops and recalls the dog sit at heel. The handler does not turn to face the dog but may turn their head slightly while cueing the dog to heel. Once the dog is sitting at heel, the exercise is then complete.</p>	BE4

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L2-B2	SIT LEAVE DOG - RECALL HANDLER FINISH		<p>This exercise requires two signs. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel. The handler then cues the dog to wait and walks to the second sign (B), turns and recalls the dog to sit in the front position. The dog is cued to remain in the sit whilst the handler moves left to take up the heel position. Once the handler has moved to the heel position, the exercise is then complete. This is not a walk around exercise.</p>	BE5

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

LEVEL THREE – 16 Exercises, 2 Bonus exercises

Ex.No.	Exercise	Sign	Description	2019.No
L3-01	DOWN SIT		As the handler and dog stop, the handler cues the dog to drop directly into a down at heel. The handler then cues the dog to sit. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	--
L3-02	DOWN STAND		As the handler and dog stop, the handler cues the dog to drop directly into a down at heel. The handler then cues the dog to stand. When the dog is established in a stand, the handler cues the dog to heel forward. This exercise ends in a static position.	--
L3-03	SEND AROUND - HANDLER TURNS LEFT		Whilst heeling the handler cues the dog to go clockwise around them, the handler then performs an accurate 90 degree turn to the left. The dog must be allowed to regain the heel position before the handler and dog heel forward.	--
L3-04	STAND WALK AROUND		As the handler and dog stop, the handler cues the dog to remain standing at heel and wait before walking forward, around the dog to their left, and back to the heel position. The handler then cues the dog to heel forward. This exercise ends in a static position.	52
L3-05	DOWN WALK AROUND		As the handler and dog stop, the handler cues the dog to drop directly into a down at heel and wait before walking forward, around the dog to their left, and back to the heel position. The handler then cues the dog directly to heel forward. This exercise ends in a static position.	53



Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L3-06	SIT SLOW FORWARD		This exercise requires 2-3 metres. As the handler and dog stop, the handler cues the dog to sit at heel. The handler cues the dog to heel and moves immediately into slow pace from the sit. In Levels 3 and 4 this exercise must be followed by Exercise L1-12 (Normal Pace), or the Finish. From Level 5 it is also permissible for this exercise to be followed by Exercise L1-11 (Fast Pace) or Exercise L3-07 (Sit Fast Forward).	--
L3-07	SIT FAST FORWARD		This exercise requires 4metres. As the handler and dog stop, the handler cues the dog to sit at heel. The handler cues the dog to heel and moves immediately into fast pace from the sit. Their pace should show a noticeable difference from the dog's normal pace. In Levels 3 and 4 this exercise must be followed by Exercise L1-12 (Normal Pace), or the Finish. From Level 5 it is permissible for this exercise to be followed by Exercise L1-10 (Slow Pace) or Exercise L3-06 (Sit Slow Forward).	43
L3-08	MOVING SIDE STEP		Shortly after passing the exercise sign, the handler takes one diagonal side step to their right. The dog moves sideways with the handler maintaining their heelwork position. The handler and dog then heel forward to the next exercise which is at least 3m away. This exercise is performed after the sign, ensuring that there is sufficient space for the dog to safely move sideways.	18

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L3-09	SIT TURN RIGHT 1 STEP SIT		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they pivot 90 degrees on the spot to their right and take one full step forward. The handler stops and cues the dog to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	29
L3-10	SIT TURN LEFT 1 STEP SIT		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they pivot 90 degrees on the spot to their right and take one full step forward. The handler stops and cues the dog to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	30
L3-11	SIT ABOUT TURN RIGHT FORWARD		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they perform an accurate 180 degree turn to their right and heel forward.	38
L3-12	SIT ABOUT TURN LEFT FORWARD		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they perform an accurate 180 degree turn to their left and heel forward.	39

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L3-13	SIT LEAVE DOG – RECALL FINISH RIGHT		<p>This exercise requires two signs placed 2-4m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel and wait. The handler walks to the second sign (B) and turns to face the dog and recalls the dog to sit in the front position.</p> <p>Once the dog is sitting in front, the handler cues the dog to finish to the handler's right, around behind the handler, to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.</p>	36
L3-14	SIT LEAVE DOG – RECALL FINISH LEFT		<p>This exercise requires two signs placed 2-4m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel and wait. The handler walks to the second sign (B), turns to face the dog and recalls the dog to sit in the front position.</p> <p>Once the dog is sitting in front, the handler cues the dog to finish to the handler's left to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.</p>	37

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L3-15	SEND MARKER - RIGHT TURN CATCH UP		<p>This exercise requires a single marker placed 1m to the left of and 1m in front of the exercise sign.</p> <p>The handler and dog approach with the sign on their right. At the sign, the handler cues the dog to go forward and to their left around a marker. The handler then performs an accurate 90 degree turn to their right, after the sign. The dog moves to re-join the handler in heelwork, and they heel forward to the next exercise which must be at least 3m away. This is a catch up exercise.</p>	--
L3-16	SEND MARKER - LEFT TURN CATCH UP		<p>This exercise requires a single marker placed 1m to the left of and 1m in front of the exercise sign.</p> <p>The handler and dog approach with the sign on their right. At the sign, the handler cues the dog to go forward and to their right around a marker. The handler then performs an accurate 90 degree turn to their left, after the sign. The dog moves to re-join the handler in heelwork, and they heel forward to the next exercise which must be at least 3m away¹. This is a catch up exercise.</p>	--

¹ Suggested that this could be simplified to state that they must be back together before the next exercise sign? If so will need to be changed for all similar exercises

Proposed replacement to S(C)


Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L3-B1	SIT LEAVE DOG - TURN DOWN RETURN		<p>This exercise requires two signs placed 2-4m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel and wait. The handler walks to the second sign (B), which is placed approximately 2-4m from sign (A), and turns to face the dog. They then cue the dog to down. The handler may cue the dog to wait before returning to heel. The handler must return by passing the dog on the handler's right, turning around approximately 1m behind the dog and moving up into the heel position. The exercise is then complete.</p>	BE7
L3-B2	SIT LEAVE DOG - RECALL THROUGH DISTRACTIONS		<p>This exercise requires two signs. Sign (A) is laid 2m after the Bonus Start Sign and 2m before a square pattern of four distractions placed 1.5m apart. Sign (B) is placed a further 2m after the distraction square. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel and wait. The handler walks through the distraction square to the second sign (B). The handler turns to face the dog, the handler recalls the dog through the distraction square to sit in the front position. The handler then cues the dog to Finish either Right or Left. The exercise is then complete.</p>	BE8

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

LEVEL FOUR – 14 Exercises, 2 Bonus exercises

Ex.No.	Exercise	Sign	Description	2019.No
L4-01	SEND AROUND HANDLER TURNS RIGHT		While heeling the handler cues the dog to go clockwise around them, the handler then performs an accurate 90 degree turn to the right. The dog must be allowed to regain the heel position before the handler and dog heel forward.	--
L4-02	DOUBLE LEFT ABOUT TURN		The exercise sign will be placed to the handler's right. The handler and dog perform a left about turn, as per exercise L1-05, heel forward 1 - 2 paces and repeat before continuing on their original path. During this exercise the handler should not pause or change pace.	--
L4-03	SIT SIDE STEP RIGHT SIT		The handler and dog approach with the sign directly in their path. As the handler and dog stop, the handler cues the dog to sit at heel. Once the dog is sitting at heel, the handler takes one side step directly to their right. The dog moves sideways with the handler maintaining their heelwork position, and after moving, must sit at heel. When the dog is sitting, the handler cues the dog to heel forward with the sign on their left. This exercise ends in a static position.	49
L4-04	DOWN LEAVE DOG - ANGLED RECALL - FINISH R/L		This exercise requires two signs. The second sign (B) is placed 3m away and set 2m to either the right or left of the first sign (A). As the handler and dog stop at the first sign (A), the handler cues the dog to drop directly into a down at heel and wait. The handler walks to the second sign (B), turns and recalls the dog. The dog must come in at an angle and sit straight in the front position. The handler then cues the dog to Finish either Right or Left. When the dog is	46

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
			sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	
L4-05	SIT LEAVE DOG - CALL TO HEEL WHILE MOVING		This exercise requires two signs placed 1.5m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel and wait. The handler walks towards the next exercise, calling their dog to heel at the second sign (B). The dog re-joins the handler in heelwork, before the next exercise which must be at least 3m away from Sign (B). This is a catch up exercise.	44
L4-06	MOVING SEND AROUND		While heeling the handler cues the dog to go clockwise around them and then stops, the dog must be allowed to regain the heel position before the handler and dog heel forward.	51
L4-07	MOVING HEEL BACK 3 STEPS		While heeling the handler stops their forward motion, as the handler and dog immediately move backwards three steps in a straight line maintaining heel position, then heel forward.	58



Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L4-08	SIT 180 DEGREE PIVOT RIGHT SIT		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they pivot 180 degrees on the spot to their right. The handler stops and cues the dog to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	47
L4-09	SIT 180 DEGREE PIVOT LEFT SIT		As the handler and dog stop, the handler cues the dog to sit at heel. The dog moves with the handler as they pivot 180 degrees on the spot to their left. The handler stops and cues the dog to sit at heel. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	48
L4-10	RUN PAST JUMP		As the handler and dog approach the sign the handler moves briskly towards the jump which is placed to the left of their path. The handler sends the dog over the jump as they pass alongside. After the jump the handler recalls the dog to heel and they return to their normal pace as they heel towards the next exercise. If the dog is much faster than the handler, the dog may be called back to the handler without penalty. The judge may choose to replace the jump with a hoop.	55

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L4-11	SIT LEAVE DOG - RECALL OVER JUMP		<p>This exercise requires two signs. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel and wait then walks to the second sign (B). The handler turns to face the dog and recalls the dog over the jump to sit in the front position. The handler then cues the dog to Finish either Right or Left. This exercise ends in a static position. The judge may choose to replace the jump with a hoop.</p>	56 ²
L4-12	DOUBLE SEND MARKER ALONGSIDE HANDLER		<p>This exercise requires two markers placed offset parallel to the handler and dog's path and 1.5m apart. The exercise sign is placed to the handler's right at the midpoint. As the handler and dog draw level with the sign, the handler sends the dog forwards to the marker and stops. The dog goes to their right around the marker and, as they return towards the handler, the handler then sends them to their left around the other marker to return to heel. The dog must be allowed to regain the heel position before the handler and dog heel forward.</p>	
L4-13	SIT SEND MARKER - CALL TO HEEL RIGHT - ABOUT TURN RIGHT FORWARD		<p>This exercise requires a single marker placed 1m to the left of and 1.5-3m in front of the exercise sign. As the handler and dog stop, the handler cues the dog to sit at heel. The handler then cues the dog to go forward and to their right around a marker and then calls them to heel around behind the handler. The dog must be allowed to regain the heel position before the handler performs an accurate</p>	BE15 (BE13 from 2025)

² Check wording consistency with L7-05 Double Send Marker – individual feedback received wording for “as they return towards the handler” may be clearer in L7-05

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
			about turn to their right and they heel forward.	
L4-14	SIT LEAVE DOG - DOWN ON RECALL		This exercise requires two signs placed 4.5-8m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel. The handler walks to the second sign (B), turns to face the dog and recalls the dog, cueing the dog to drop directly into the down, aiming to drop the dog approximately halfway. Once the dog is down the handler recalls the dog to sit in the front position. The handler then cues the dog to Finish either Right or Left. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.	54
L4-B1	SIT LEAVE DOG TURN & STAND		This exercise requires 2 signs placed 2-4m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel. The handler walks to the second sign (B) and turns to face the dog. They then cue the dog to stand. The dog should move no more than its body length, forwards or backwards, to achieve this. Once the dog is established in the stand, the exercise is then complete. The handler may then either recall or rejoin the dog.	BE10 (BE9 from 2025)
L4-B2	CALL FRONT BACK UP 3 STEPS		The Call Front part of this exercise is performed as in Exercise F-08. Once the dog is sitting in front, the handler cues the dog to back up in a straight line away from them. The dog may stand first and then back up OR the dog may back up from the sit. The dog moves backwards as the handler follows forward three steps. The dog must remain in the front position while backing up. There is no finish. Once the	BE6

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
			handler has taken their 3 steps forward the exercise is then complete.	

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

LEVEL FIVE – 10 Exercises, 2 Bonus exercises

Ex.No.	Exercise	Sign	Description	2019.No
L5-01	RIGHT TURN 1-2 STEPS DOWN		This exercise starts with an accurate 90 degree turn to the right. As the handler and dog complete the turn they take 1-2 steps, the handler then stops and cues the dog to drop directly into a down at heel. When the dog is down, the handler cues the dog directly to heel forward. This exercise ends in a static position.	60
L5-02	LEFT TURN 1- 2 STEPS DOWN		This exercise starts with an accurate 90 degree turn to the left. As the handler and dog complete the turn they take 1-2 steps, the handler then stops and cues the dog to drop directly into a down at heel. When the dog is down, the handler cues the dog directly to heel forward. This exercise ends in a static position.	61
L5-03	RIGHT TURN HEEL BACK 2-3 STEPS		This exercise starts with an accurate 90 degree turn to the right, as the handler and dog complete the turn they immediately move backwards two to three steps in a straight line maintaining heel position, then heel forward.	67
L5-04	LEFT TURN HEEL BACK 2-3 STEPS		This exercise starts with an accurate 90 degree turn to the left, as the handler and dog complete the turn they immediately move backwards two to three steps in a straight line maintaining heel position, then heel forward.	68

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L5-05	STAND LEAVE DOG - TURN CALL TO HEEL		<p>This exercise requires two signs placed 2-4m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the handler walks to the second sign (B), turns to face the dog and recalls the dog to come directly to heel. The dog may go straight to heel or pass behind the handler. The dog does not have to sit in the heel position, unless the handler wishes them to do so. The handler and dog then heel forward.</p>	57
L5-06	DOWN LEAVE DOG - LEFT TURN - CALL TO HEEL WHILE MOVING		<p>This exercise requires two signs placed 3m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to drop directly into a down at heel. The handler walks forward to the second sign (B), where they turn left and call the dog to heel, timing their call to ensure that the dog re-joins the handler in heelwork after the turn but before the next exercise which must be at least 3m away from Sign (B). This is a catch up exercise.</p> <p>The handler walks towards the next exercise, calling their dog to heel at the second sign (B). The dog re-joins the handler in heelwork, before the next exercise which must be at least 3m away from Sign (B). This is a catch up exercise.</p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L5-07	STAND ON THE MOVE - RETURN		<p>This exercise requires two signs. As the handler and dog approach sign (A) the dog is cued to stop in a stand and wait while the handler continues walking to the second sign (B). The handler performs an accurate about turn to their right and returns by passing the dog on the handler's right, turning around approximately 1m behind the dog and picking up the dog directly to heel as they move forward. During this exercise the handler should not pause or change pace.</p>	--
L5-08	DOWN ON THE MOVE - RETURN		<p>This exercise requires two signs. As the handler and dog approach sign (A) the dog is cued to drop directly into the down and wait while the handler continues walking to the second sign (B). The handler performs an accurate about turn to their right and returns by passing the dog on the handler's right, turning around approximately 1m behind the dog and picking up the dog directly to heel as they move forward. During this exercise the handler should not pause or change pace.</p>	BE12 (BE11 from 2025)


Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L5-09	SEND OVER JUMP		<p>As the handler and dog approach the sign the handler sends the dog towards the jump which is laid offset to the left of the handler's path. The handler moves briskly along a line 1.5m to the right of the jump. After the jump the handler recalls the dog to heel and they return to their normal pace as they heel towards the next exercise. If the dog is much faster than the handler, the dog may be called back to the handler without penalty.</p> <p><i>A line may be used to indicate the handler's path.</i></p> <p>The judge may choose to replace the jump with a hoop.</p>	59
L5-10	STAND SIDE TRACK RIGHT STAND		<p>The handler and dog approach with the sign directly in their path. As the handler and dog stop in front of the sign, the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the handler side steps to their right and the dog moves sideways with the handler maintaining their heelwork position. The handler side steps for approximately 1.5m to the right until they have passed the end of the guide. The handler stops and cues the dog to remain standing at heel. When the dog is established in a stand, the handler cues the dog to heel forward. This exercise ends in a static position.</p> <p><i>The 1.5m distance must be clearly defined with a guide using either 2 separate poles/cones, a ground pole, tape or line of appropriate length.</i></p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L5-B1	RETRIEVE		<p>The sign is placed approximately 4.5m after the Bonus start sign. Before beginning the course, the handler will place their retrieve object (no food or any injurious item) as directed. As the handler and dog heel past the Bonus Start sign towards the exercise sign, a steward or judge will unobtrusively place the retrieve object on the ground near to the bonus start sign. As the handler and dog draw level with the bonus exercise sign, the handler turns to face the retrieve object and cues the dog to sit at heel. The handler sends the dog to pick up the object and return to sit straight in the front position. The handler takes the object from the dog and cues the dog to Finish either Right or Left. The exercise is then complete.</p>	BE11 (BE10 from 2025)
L5-B2	CALL FRONT BACK AWAY FROM HANDLER		<p>The Call Front part of this exercise is performed as in Exercise F-08.</p> <p>Once the dog is sitting in front, the handler cues the dog to back up in a straight line away from them. The dog may stand first and then back up OR the dog may back up from the sit. The handler remains stationary while the dog is backing away. The dog should move at least its own body length backwards. The handler then cues the dog to remain standing while the handler returns to heel. The handler must return by passing the dog on the handler's right, turning around approximately 1m behind the dog and moving up into the heel position. The exercise is then complete.</p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

LEVEL SIX – 9 Exercises, 2 Bonus exercises

Ex.No.	Exercise	Sign	Description	2019.No
L6-01	270 RIGHT HEEL BACK 2-3 STEPS		This exercise starts with a 270 degree turn to the right. As the handler and dog complete the turn they immediately move backwards two to three steps in a straight line maintaining heel position, then heel forward.	--
L6-02	270 LEFT HEEL BACK 2-3 STEPS		This exercise starts with a 270 degree turn to the left. As the handler and dog complete the turn they immediately move backwards two to three steps in a straight line maintaining heel position, then heel forward.	--
L6-03	SIDE TRACK RIGHT		<p>The handler and dog approach with the sign directly in their path. The handler then side steps to their right and the dog moves sideways with the handler maintaining their heelwork position. The handler side steps for approximately 1.5m to the right until they have passed the end of the guide, then heel forward.</p> <p><i>The 1.5m distance must be clearly defined with a guide using either 2 separate poles/cones, a ground pole, tape or line of appropriate length.</i></p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L6-04	STAND LEAVE DOG - DOWN ON RECALL - RETURN		<p>This exercise requires two signs placed 4.5-8m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the handler walks to the second sign (B), turns to face the dog and recalls the dog, cueing the dog to drop directly into the down, aiming to drop the dog halfway. When the dog is down the handler returns to the dog by passing the dog on the handler's right, turning around approximately 1m behind the dog and picking up the dog directly to heel as they move forwards. The handler should not change pace when the dog restarts heeling.</p>	64
L6-05	STAND ON THE MOVE - CALL TO HEEL - SEND AROUND FORWARD		<p>This exercise requires two signs placed 2-4m apart. As the handler and dog approach sign (A) the dog is cued to stop in a stand and wait while the handler continues walking, with no pause or change in their pace, to the second sign (B).</p> <p>The handler stops and recalls the dog to heel. The handler does not turn to face the dog but may turn their head slightly while cueing the dog to heel. The handler then sends the dog clockwise around them, the dog must be allowed to regain the heel position before the handler and dog heel forward.</p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L6-06	DOWN ON THE MOVE - CALL TO HEEL – SEND AROUND FORWARD	<p>The sign consists of two parts. The top part shows a green arrow pointing up with 'DOWN' written vertically on the left and 'HANDLER' written vertically on the right. To the right of the arrow is a small icon of a handler and a dog, with a green circle containing the letter 'A' above them. Below this is the text 'DOWN ON THE MOVE' and 'LEAVE DOG'. The bottom part shows a green arrow curving clockwise. To its left is a small icon of a handler and a dog, with a green circle containing the letter 'B' above them. Below this is the text 'CALL TO HEEL' and 'SEND AROUND FORWARD'. Both parts include a small logo for 'THE KENNEL CLUB' at the bottom left.</p>	<p>This exercise requires two signs placed 2-4m apart. As the handler and dog approach sign (A) the dog is cued to drop directly into the down and wait while the handler continues walking, with no pause or change in their pace, to the second sign (B).</p> <p>The handler stops and recalls the dog to heel. The handler does not turn to face the dog but may turn their head slightly while cueing the dog to heel. The handler then sends the dog clockwise around them, the dog must be allowed to regain the heel position before the handler and dog heel forward.</p>	65
L6-07	LATERAL CALL TO HEEL	<p>The sign consists of two parts. The top part shows a small icon of a handler and a dog, with a green circle containing the letter 'A' above them. Below this is the text 'LATERAL RECALL' and 'TO HEEL'. To the left of the text is a red circle, and to the right is a red diamond. A green arrow points from the circle to the diamond. The bottom part shows a small icon of a handler and a dog, with a green circle containing the letter 'B' above them. Below this is the text 'LATERAL RECALL' and 'TO HEEL'. To the left of the text is a red triangle, and to the right is a red diamond. A green arrow points from the triangle to the diamond. Both parts include a small logo for 'THE KENNEL CLUB' at the bottom left.</p>	<p>This exercise requires two signs, the second sign (B) is placed 1.5m to the right of the first sign (A), facing in the same direction. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel and wait and moves to stand with Sign (B) on their right. They then call the dog directly to stand at heel. Once the dog is established in a stand, the handler cues the dog to wait and (passing in front of the dog) returns to sign (A). They cue the dog to pass behind them and drop directly into a down at heel. When the dog is down, the handler cues the dog directly to heel forward. This exercise ends in a static position.</p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L6-08	SIT LEAVE DOG - ANGLED RECALL OVER JUMP	 	<p>This exercise requires two signs, placed off set by 1.5m to the same side of the jump. As the handler and dog stop at the first sign (A), the handler cues the dog to sit at heel and wait then walks to the second sign (B). The handler turns to face the dog and cues the dog over the jump to sit straight in the front position. The handler then cues the dog to Finish either Right or Left. This exercise ends in a static position. The jump may be placed off set to the left or the right of the exercise signs. The judge may choose to replace the jump with a hoop.</p>	66
L6-09	DOWN LEAVE DOG - RIGHT TURN - CALL TO HEEL WHILE MOVING	 	<p>This exercise requires two signs placed 3m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to drop directly into a down at heel. The handler walks forward to the second sign (B), where they turn right and call the dog to heel, timing their call to ensure that the dog re-joins the handler in heelwork after the turn but before the next exercise which must be at least 3m away from Sign (B). This is a catch up exercise.</p>	--

Proposed replacement to S(C)


Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L6 -B1	SENDBACK RETRIEVE		<p>The sign is placed 4-5m after the Bonus start sign. Before beginning the course, the handler will place their retrieve object (no food or any injurious item) as directed. As the handler and dog heel past the Bonus Start sign towards the exercise sign, a steward or judge will unobtrusively place the retrieve object on the ground near to the bonus start sign. As the handler and dog draw level with the bonus exercise sign the handler cues the dog to sit at heel and wait. The handler steps forward and turns to stand in front of the dog. They will then send the dog back to pick up the retrieve object and return to sit straight in the front position. The handler takes the object from the dog and cues the dog to Finish either Right or Left. The exercise is then complete.</p>	BE13 (BE12 from 2025)
L6-B2	SEND MARKER RIGHT & LEFT CATCH UP		<p>This exercise requires a single marker placed 1m to the left of and 3m in front of the exercise sign. As the handler and dog approach the sign the handler cues the dog forwards and to their right around the marker. The handler stops and calls them to heel around behind the handler, as they re-join the handler, they are immediately cued forward and left around the marker. The handler performs an accurate about turn to their right and walks back towards the Bonus Start sign, timing their turn to ensure that the dog re-joins the handler in heelwork before they pass the sign. The exercise is then complete. This is a catch up exercise.</p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

LEVEL SEVEN – 6 Exercises, 2 Bonus exercises

Ex.No.	Exercise	Sign	Description	2019.No
L7-01	STAND LEAVE DOG DOWN SIT RECALL		<p>This exercise requires two signs placed at least 3m apart. As the handler and dog stop at the first sign (A), the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the handler walks to the second sign (B). They turn and face the dog, then cue the dog to Down and then Sit. The dog should move no more than its body length, forwards or backwards, to achieve the down. When the dog is sitting the handler recalls the dog to sit in the front position. The handler then cues the dog to Finish either Right or Left. When the dog is sitting, the handler cues the dog to heel forward. This exercise ends in a static position.</p>	63
L7-02	ABOUT TURN RIGHT - DOWN - ABOUT TURN LEFT FORWARD		<p>As the handler and dog approach with the exercise sign on their right, they perform an accurate about turn to the right. As the handler and dog complete the turn, the handler cues the dog to drop directly into a down at heel as they stop. The handler cues the dog to heel as they perform an accurate about turn to their left, returning to their original position. The dog moves with the handler as they turn and heel forward.</p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L7-03	STAND 180 PIVOT RIGHT - DOWN - 180 PIVOT LEFT - STAND		<p>As the handler and dog approach with the exercise sign on their right, they stop and the handler cues the dog to remain standing at heel. Once the dog is established in a stand, the dog moves with the handler as they pivot 180 degrees on the spot to their right. As the handler stops they cue the dog to drop directly into a down at heel. The dog then moves with the handler as they pivot 180 degrees on the spot to their left, returning to their original position. The handler stops and cues the dog to remain standing at heel. When the dog is established in a stand, the handler cues the dog to heel forward. This exercise ends in a static position.</p>	--
L7-04	SIT ON THE MOVE - RETURN		<p>This exercise requires two signs. As the handler and dog approach sign (A) the dog is cued to sit and wait while the handler continues walking to the second sign (B). The handler performs an accurate about turn to their right and returns by passing the dog on the handler's right, turning around approximately 1m behind the dog and picking up the dog directly to heel as they move forwards. During this exercise the handler should not pause or change pace.</p>	--


Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L7-05	DOUBLE SEND MARKER CATCH UP		<p>This exercise requires 2 signs placed 3m apart, and 2 markers placed 2m apart at right angles between the signs to form a cross shape. As the handler and dog pass sign (A) which is placed to their right, the handler cues the dog forward towards the right-hand marker. The handler then stops while the dog goes to their right around the marker. As the dog is returning towards the handler, they are cued to go to their left around the left-hand marker. The handler moves forward, timing their movement and call to ensure that the dog re-joins the handler in heelwork before sign (B). This is a catch up exercise.</p>	--
L7-06	SEND OVER JUMP - STOP DOG - RECALL OVER JUMP TO HEEL WHILE MOVING		<p>As the handler and dog approach the sign, the handler sends the dog over the jump and stops. The handler cues the dog to adopt a static position of the handler's choice on the far side of the jump. The dog must stop between 2-4m beyond the jump. Once the dog is established in the position the handler performs an accurate about turn to their right and calls the dog to heel over the jump, timing their call to ensure that the dog re-joins the handler in heelwork before the next exercise which must be at least 3m away. This is a catch up exercise. The judge may choose to replace the jump with a hoop in which case the distance before the hoop is reduced to 2m.</p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L7-B1	DOUBLE RETRIEVE	 <p>The sign consists of a red circle on the left. To its right, the text reads: RIGHT TURN SIT DOUBLE RETRIEVE FINISH R/L. Below this text are two bonus signs, each labeled 'BONUS A' and 'BONUS B', showing a dog and handler. At the bottom, the text reads: PLACE RETRIEVE ARTICLE. There are two small logos for 'THE KENNEL CLUB' on the sign.</p>	<p>This Exercise requires 2 signs. Sign (A) is placed 2m from the Bonus Start Sign and Sign (B) is placed a further 2m from Sign (A). As they enter the ring the handler will place two similar retrieve objects (no food or any injurious items) as directed after the Finish sign. The location should be such that the retrieve objects do not provide a distraction while the dog is working the course.</p> <p>After completing the course, the handler picks up both retrieve objects before heeling past the bonus start sign. The handler and dog turn right level with Sign (A) and the handler cues the dog to sit at heel and wait while they place one retrieve object near to the Bonus Sign and one near to Sign (B), passing in front of the dog to do so. When they have placed both retrieve objects they should move directly to stand behind and facing the dog, they should not pass in front of the dog for this part of the exercise. The handler then calls the dog to turn and move to sit straight in the front position. The handler cues the dog to retrieve one of the objects and return to sit in the front position. The handler takes the object from the dog and directly cues the dog to retrieve the other object and return to sit straight in the front position. Once the handler has taken the second retrieve object, they cue the dog to finish either Right or Left. The exercise is then complete.</p> <p><i>It is handler's choice in which order they both place their objects and send the dog to retrieve them.</i></p>	--

Proposed replacement to S(C)

Please note that equipment is now defined in S16 Equipment and Facilities, general performance notes on statics, transitions between statics and heelwork have been added to SB1 Performance and exercise sign, and equipment layout including reuse of equipment is defined in S(B)3 Ring Management.

Ex.No.	Exercise	Sign	Description	2019.No
L7-B2	STAND LEAVE DOG - BACK UP AT A DISTANCE	 <p>The sign consists of two parts. The top part features a red diamond on the left, the text 'STAND LEAVE DOG' in the center, and a green arrow pointing upwards on the right. Above this is a 'BONUS B' sign with two dog silhouettes. The bottom part features the text 'TURN BACK UP AT A DISTANCE RETURN' in the center, a green arrow pointing downwards on the right with the word 'DOG' written vertically inside it, and another 'BONUS B' sign with two dog silhouettes above it. Both parts include a small logo for 'THE KENNEL CLUB' at the bottom left.</p>	<p>This exercise requires two signs. As the handler and dog stop at the first sign (A), the handler cues the dog to remain standing at heel and wait. The handler then walks to the second sign (B). The handler turns and faces the dog, then cues the dog to back up in a straight line away from them. The handler remains stationary while the dog is backing away. The dog should move backwards at least two of its own body lengths. The handler then cues the dog to stand and wait while the handler returns to heel. The handler must return by passing the dog on the handler's right, turning around approximately 1m behind the dog and moving up into the heel position. The exercise is then complete.</p>	--